	Application No.	Applicant(s)	
Notice of Allowability	10/059,270	FURST, CLAUS ERDMANN	
	Examiner	Art Unit	1
	Patrick G Wamsley	2819	pr
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>an amendment filed on 07/06/2004</u> .			
2. The allowed claim(s) is/are 46-52.			
3. The drawings filed on <u>04/05/2004</u> are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal F 6. Interview Summary Paper No./Mail Da 7. Examiner's Amenda 8. Examiner's Statema 9. Other	(PTO-413), te ment/Comment	

Art Unit: 2819

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The references of record neither reveal nor render obvious the recited combination including an analog to digital converter, hereafter ADC, having means to monitor an output signal from cascaded integrators relative to a threshold associated with the maximum stable input amplitude of a sigma delta modulator. U.S. Patents 6,670,902 to Melanson et al, 6,369,729 to Srinivasan et al, 6,275,177 to Ho et al, 6,246,283 to Ahuja et al, 5,818,374 to Tan, 5,757,300 to Koilpillai et al, and 5,187,482 to Tiemann et al all disclose modulators having cascade integrators but lack the recited threshold monitoring procedure.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick G. Wamsley whose telephone number is (571)

272-1814. Send facsimiles to (703) 872-9306

Patrick G. Wantsley July 30, 2004